

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 636 | ((flash eeprom eeprom non?volatile) near3 (control\$4 processor)) with (configur\$5 select set) with mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 10:44 |
| L2 | 1 | ((flash eeprom eeprom non?volatile) near3 (control\$4 processor)) with (configur\$5 select set) with mode with USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:00 |
| L3 | 27 | 1 and USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 10:45 |
| L4 | 154 | control\$4 with (configur\$5 select set) with mode with USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:00 |
| L5 | 5 | memory near3 control\$4 with (configur\$5 select set) with mode with USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:15 |
| L6 | 2 | (memory near3 controller) with (USB near3 (connector interface)) with (configur\$5 set select) with (mode) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:18 |
| L7 | 98 | (memory near3 controller) with (connector interface) with (configur\$5 set select) with (mode) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:38 |
| L8 | 80 | (flash near3 controller) with (mode) with (interfac\$4 coupl\$5 connect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 12:31 |
| L9 | 2709 | 710/8,11,15,105.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 12:31 |
| L10 | 10 | 9 and 1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 12:31 |
| S1 | 2 | "5928347".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:40 |
| S2 | 4663 | (flash near3 controller) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:40 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S3 | 61 | (flash near3 controller) with ((configur\$5 set\$4) near3 mod\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:47 |
| S4 | 4 | (flash near3 controller) with ((configur\$5 set\$4) near3 mod\$4) with (usb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:42 |
| S5 | 1013 | ((EPROM EEPROM memory) near3 controller) with ((configur\$5 set\$4) near3 mod\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:47 |
| S6 | 4 | ((EPROM EEPROM memory) near3 controller) with ((configur\$5 set\$4) near3 mod\$4) with USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:49 |
| S7 | 60 | ((configur\$5 set\$4) near3 mod\$4) with (flash EEPROM EPROM memory) with USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:09 |
| S8 | 1507 | (mod\$4 set\$4 configur\$7) with (flash EEPROM EPROM memory) with USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:09 |
| S9 | 372 | (mod\$4 set\$4 configur\$7) near5 (flash EEPROM EPROM memory) near5 USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:10 |
| S10 | 125 | (mod\$4 set\$4 configur\$7) near5 (flash EEPROM EPROM) near5 USB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:17 |
| S11 | 2 | "6182162".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:17 |
| S12 | 2 | "6182162".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:29 |

Interface Search notes

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------|------------------|---------|------------------|
| L1 | 10 | ((memory flash eeprom eprom) near3 controller) with (connector interface) with (configur\$5 set select) with (mode)). clm. | US-PGPUB | OR | ON | 2005/12/22 12:45 |